

PIPELINE INSPECTION COMPANY, LTD.

Prices Effective March 1, 2010

P.O. Box 55648 • Houston, Texas 77255-5648

PH: (713) 681-5837 • FAX: (713) 681-4838

www.picltd.com**Holiday Detectors**

| Part No. | Description | Weight | | Price |
|----------|---|--------|-----------|---------|
| 780 | Portable "stick" type detector | 35 lb | 2.2 cu ft | 3780.00 |
| 780 | Portable "stick" type detector, unit only | 5 lb | 0.5 cu ft | 3050.00 |
| 785 | Portable "stick" type detector | 35 lb | 2.2 cu ft | 3880.00 |
| 785 | Portable "stick" type detector, unit only | 5 lb | 0.5 cu ft | 3150.00 |
| 790 | Portable "stick" type detector | 35 lb | 2.2 cu ft | 3990.00 |
| 790 | Portable "stick" type detector, unit only | 5 lb | 0.5 cu ft | 3260.00 |
| 670 | Portable "wet sponge" type detector | 3 lb | 3.0 cu ft | 370.00 |
| 670 | Portable "wet sponge" type detector, unit only | 2 lb | 1.0 cu ft | 340.00 |
| 673 | Stationary "wet sponge" type detector | 6 lb | 3.0 cu ft | 1040.00 |
| 115 | Stationary "plant" type detector | 25 lb | 3.0 cu ft | 3950.00 |
| 115 | Stationary "plant" type detector, box only | 5 lb | 1.0 cu ft | 3750.00 |
| 125 | Stationary "plant" type detector | 25 lb | 3.0 cu ft | 3950.00 |
| 125 | Stationary "plant" type detector, box only | 5 lb | 1.0 cu ft | 3750.00 |
| 135 | In Plant Holiday Detector (10-35kv) | 25 lb | 3.0 cu ft | 4100.00 |
| 135 | In Plant Holiday Detector (10-35kv), box only | 5 lb | 1.0 cu ft | 3900.00 |
| JM | Bench/Field Crest Voltmeter (Pulse/DC input) | 9.2 lb | 1.0 cu ft | 1150.00 |
| PJM | Pocket Crest Voltmeter (Pulse input) | 2.2 lb | 0.3 cu ft | 550.00 |
| DCPJM | D.C. Pocket Crest Voltmeter(DC input) | 2 lb | 0.3 cu ft | 350.00 |
| MSRB | Multi-station Rebar System-3 channel standard | | | 2400.00 |
| | Each additional channel (up to 6 channels per unit) | | | 700.00 |
| RBRS | Rebar Roller System-3 station standard | | | 2900.00 |
| | Each additional station | | | 900.00 |

- All sale detectors (portable) are furnished complete with: two batteries, battery box, battery charger (120/240 VAC), electrode wand, ground cable, carrying/shipping case and operating instructions.
- All sale Model 115, Model 125, and Model 135 detectors are furnished complete with: one Klaxon horn, one spring (or brush) electrode wand with 20 ft. high voltage cable.
- Electrodes furnished separately at an additional charge. *See separate electrode price sheet for prices and available sizes.*
- All items marked as "unit only" are furnished as described and shipped in a cardboard box, unless a shipping/carrying case otherwise ordered.
- Model 670 includes battery, ground cable and flat sponge electrode. The roller sponge electrode may be purchased optionally.
- The Multi-Station systems require custom manufacture. Therefore, adjustments to prices may be necessary. As with all custom manufactured items, time required to manufacture can vary so allow adequate time for this process.
- All items have a three month warranty on materials & workmanship except for Models 780, 785, 790, and JM, which have a twelve-month warranty.

Accepted by Pipeline Inspection Co., Ltd

All prices shown in US dollars



PIPELINE INSPECTION COMPANY, LTD.

Prices Effective March 1, 2010

P.O. Box 55648 • Houston, Texas 77255-5648

PH: (713) 681-5837 • FAX: (713) 681-4838

www.picltd.com**Holiday Detector Parts & Accessories**

| Part No. | Description | Weight | Price |
|----------|--|--------|----------|
| 10630 | 6V Battery, RP6801, sealed rechargeable, dry, non-restricted | 4.5 lb | 84.00 |
| 11934 | Brush adaptor kit | 1 lb | 23.78 |
| 11927 | Cable, ground, assembly, for 670, 25 ft. | 0.1 lb | 27.56 |
| 11925 | Cable, ground, assembly, for 7xx series, 100 ft. | 2.2 lb | 104.74 |
| 12884 | Cable, ground, assembly, for 7xx series, 50 ft. | 1.8 lb | 65.65 |
| 12146 | Cable, ground, assembly, for Jeepmeter series | 0.1 lb | 23.15 |
| 11928 | Cable, High Voltage, for Jeepmeter series | 0.1 lb | 24.83 |
| 12547 | Marker system, automatic | 2.5 lb | 713.32 |
| 11061 | Charger , 6V 120/240 VAC | 2 lb | 175.30 |
| 11914 | Rebar Station Sponge only (3.5" dia, 2"wide) | 0.1 lb | 36.96 |
| 11083 | Shipping/carrying case, for 7xx series | 9.5 lb | 394.75 |
| 10623 | Spring connector & swivel assembly | 0.3 lb | 50.93 |
| 11740 | Wand, brush electrode, flat sponge, for 670 series | 0.5 lb | 38.27 |
| 13170 | 780 Main Board | 2 lb | 1,791.56 |
| 13171 | 790 Main Board | 2 lb | 1,952.09 |
| 13129 | Base Plate Assy | 0.5 lb | 111.83 |
| 13120 | Battery Pack 12V | 4 lb | 87.10 |
| 13149 | Battery Release (orange) | 0.1 lb | 12.55 |
| 13128 | Case Top Assy (orange) | 2 lb | 199.76 |
| 13134 | Charger 12V Universal Input w/cord | 4.5 lb | 141.70 |
| 13156 | Clip for Strap 780/785/790 | 0.1 lb | 7.25 |
| 13169 | 780 Control Bd Assy | 0.5 lb | 459.38 |
| 13157 | Front Handle (black) | 0.2 lb | 24.65 |
| 13132 | Knob 780/790 (black) | 0.1 lb | 12.86 |
| 13158 | 790 Control Bd Assy | 0.5 lb | 509.51 |
| 13202 | Shipping Case 7x0 w/Insert | 9.5 lb | 394.75 |
| 13212 | Spare parst kit for Model 780/785/790 | 16 lb | 448.88 |
| 11322 | 670 Flat Sponge only 2x4x8 | .5 lb | 10.76 |
| 11676 | 670 Roller Sponge only (3 units) | .5 lb | 41.48 |
| 11136 | Step down xformer 240 to 120 VAC | 10 lb | 144.43 |
| 11919 | Wand, brush electrode, all 7xx series | 1.3 lb | 80.06 |
| 12513 | Klaxon Horn Assembly | 7.0 lb | 201.34 |

Accepted by Pipeline Inspection Co., Ltd

All prices shown in US dollars



PIPELINE INSPECTION COMPANY, LTD.

Prices Effective March 1, 2010

P.O. Box 55648 • Houston, Texas 77255-5648

PH: (713) 681-5837 • FAX: (713) 681-4838

www.picltd.com**Holiday Detector Parts & Accessories - cont'd**

| Part No. | Description | Weight | Price |
|----------|--|--------|----------|
| 12922 | Wand 36" all 7xx series | 2.6 lb | 245.70 |
| 12923 | Wand 48" all 7xx series | 3.5 lb | 252.00 |
| 12924 | Wand 60" all 7xx series | 4.3 lb | 258.30 |
| 12925 | Wand 72" all 7xx series | 5.2 lb | 264.60 |
| 11920 | Wand, brush electrode, for 9xx series | 1.5 lb | 102.11 |
| 11681 | Wand, brush electrode, roller sponge, for 670 series | 0.8 lb | 112.61 |
| 12769 | Wand, spring&brush electrode, for 1xx series w/25 ft. H.V. cable | 2.5 lb | 181.65 |
| 11932 | Wand, spring electrode, for 7xx series | 1 lb | 115.76 |
| 11936 | Wire, trolley assembly, for 1xx series complete w/hardware | 4.5 lb | 168.68 |
| 13107 | 670 18" Wide Roller Sponge Assembly | 2.5 lb | 130.73 |
| 13110 | 670 24" Wide Roller Sponge Assembly | 5 lb | 294.37 |
| 13106 | 7xx Series Shipping/Carrying Case Handle | 0.3 lb | 8.77 |
| 13203 | Flex-Wand, hand held, for 7xx series | 1.5 lb | 233.42 |
| 13324 | 785 Control Board Assembly | .5 lb | 509.51 |
| 13326 | 785 Main Board Assembly | 1.5 lb | 1,952.09 |
| CERTS | Repairs & Replacement Certification Documents | | 50.00 |

Each Spare parts kit consists of the following:

- 2 ea Battery
- 1 ea Battery box (not required on 780/790)
- 3 ea Ground cable, 50 ft.
- 1 ea Wand, spring electrode

Accepted by Pipeline Inspection Co., Ltd

All prices shown in US dollars



PIPELINE INSPECTION COMPANY, LTD.

Prices Effective March 1, 2010

P.O. Box 55648 • Houston, Texas 77255-5648

PH: (713) 681-5837 • FAX: (713) 681-4838

www.picltd.com**Holiday Detector, Rental Purchase**-available only in the USA

| Model | Price |
|---|----------|
| 115, 125 (\$852.00 per month for 5 months) | 4,260.00 |
| 780 (\$864.00 per month for 5 months) | 4,320.00 |
| 785 (\$872.00 per month for 5 months) | 4,360.00 |
| 790 (\$878.00 per month for 5 months) | 4,390.00 |

1. All rental purchases are furnished with equipment as stated in Rental price section except that equipment will be reconditioned equipment that has been thoroughly inspected and tested.
2. All freight charges, additional components (electrodes, etc.) and other special charges will be invoiced on the first month invoice.
3. All rental purchase Holiday Detectors have a 3 month warranty on material and workmanship

Holiday Detector, Rentals-available only in the USA

| Model | Daily | Minimum |
|--|-------|---------|
| 715, 725, 735, 780, 790, 915, 925, 115, 125, | 35.00 | 140.00 |
| JM | 30.00 | 120.00 |

1. Rental purchase must be specified at time of order or prior to shipment. No exceptions will be made.
2. All rental detectors (portable) are furnished with used equipment consisting of: two batteries, battery box, battery charger, electrode wand, ground cable, shipping/carrying case and operating instructions. See separate electrode price sheets for prices and available sizes.
Note: Any items damaged beyond normal wear and tear, or lost/stolen, will be invoiced at the full sale price.
3. All rental equipment will have a four day minimum rental period. Rental begins the date equipment is shipped and stops the day equipment is received at factory. Normal shipment is by UPS Red or equivalent) unless otherwise specified.

Accepted by Pipeline Inspection Co., Ltd



All prices shown in US dollars

PIPELINE INSPECTION COMPANY, LTD.

Prices Effective March 1, 2010

P.O. Box 55648 • Houston, Texas 77255-5648

PH: (713) 681-5837 • FAX: (713) 681-4838

www.picltd.com**Pig Tracking, Sales**

| Model | Description | Weight | Size | Price |
|-----------|--|---------|-----------|----------|
| Model 1 | Pig Tracking System (PT101, PTR, case) | 22 lb | 2.2 cu ft | 6,570.00 |
| Model 2 | Pig Tracking System (PT107, PTR, case) | 22 lb | 2.2 cu ft | 6,180.00 |
| Model 4 | Pig Tracking System (PT275, PTR, case) | 26 lb | 2.2 cu ft | 7,460.00 |
| Model 12 | Pig Tracking System (PT750, PTR, case) | 33 lb | 2.2 cu ft | 8,990.00 |
| PT101 | Pig Transmitter, unit only, 50hr, 3-4" pipe | 2.5 lb | 0.3 cu ft | 2,220.00 |
| PT107 | Pig Transmitter, unit only, 60 hr 4-8" pipe | 2.5 lb | 0.3 cu ft | 1,830.00 |
| PT275 | Pig Transmitter, unit only, 200 hr 8" and up pipe | 6.5 lb | 0.3 cu ft | 3,110.00 |
| PT750 | Pig Transmitter, unit only, 500 hr 12" and up pipe | 13.5 lb | 0.3 cu ft | 4,640.00 |
| PTR | Pig Tracking Receiver & Wand | 7 lb | 0.4 cu ft | 4,270.00 |
| PTS | Pig Tracking Sensor | 3 lb | 0.3 cu ft | 845.00 |
| PTSI | Pig Tracking Sensor Indicator Unit | 3 lb | 0.3 cu ft | 360.00 |
| PTSB | Pig Tracking Sensor Battery Unit | 3 lb | 0.3 cu ft | 370.00 |
| SPY Phone | SPY Phone | 3 lb | 0.3 cu ft | 1,030.00 |

1. All Pig Tracking System sales include: one transmitter (PT-107 for Model 2; PT-275 for Model 4; PT-750 for Model 12),

one receiver (PTR), one pick-up wand, batteries, operating instructions and shipping/carrying case.

2. All shipping weights and dimensions shown are for complete systems with components, as described above.

3. All items have a three month warranty on materials & workmanship except for the Model PTR which has a twelve month warranty.

Pig Tracking, Rentals--available only in the USA

| Model | Daily | Minimum |
|--------------------------------------|--------|---------|
| Model 1 | 140.00 | 560.00 |
| Model 2 | 140.00 | 560.00 |
| Model 4 | 140.00 | 560.00 |
| Model 12 | 160.00 | 640.00 |
| PTR (with wand) | 80.00 | 320.00 |
| PT-101 | 60.00 | 240.00 |
| PT-107 | 60.00 | 240.00 |
| PT-275 | 60.00 | 240.00 |
| PT-750 | 80.00 | 320.00 |
| Underwater Wand (100, 250 or 500 ft) | 45.00 | 180.00 |

1. All Pig Tracking rental systems include one transmitter (PT-101 for Model 1, PT-107 for Model 2, PT-275 for Model 4, PT-750 for Model 12),

two PTR receivers, two pick-up wands, batteries, operating instructions and shipping/carrying case. Mounting plate for mounting

transmitter to steel mandrel pig is included upon request.

Note: Any items lost, stolen or damaged beyond normal wear and tear will be invoiced at the list price.

2. All Pig Tracking rental equipment will have a four (4) day minimum rental period. All systems will be shipped from the factory

via Next Day Service (ie. UPS Next Day, FedEx Next Day, DHL Next Day) and the return of equipment will be via the same type of service.

Rental period begins the date equipment is shipped and stops the day equipment is received at the factory. There will be no exceptions!

Based on present shipping rates, UPS Next Day to either coast, from the factory (Houston), the shipping fee would be approximately

\$150.00 with insurance.

Accepted by Pipeline Inspection Co., Ltd

All prices shown in US dollars



PIPELINE INSPECTION COMPANY, LTD.

Prices Effective March 1, 2010

P.O. Box 55648 • Houston, Texas 77255-5648

PH: (713) 681-5837 • FAX: (713) 681-4838

www.picltd.com**Pig Tracking, Rental Purchases-available only in the USA**

| Model | | Price |
|--------------|-------------------------------------|--------------|
| Model 1 | (\$3,694.00 per month for 3 months) | 11,082.00 |
| Model 2 | (\$3,570.00 per month for 3 months) | 10,710.00 |
| Model 4 | (\$3,920.00 per month for 3 months) | 11,760.00 |
| Model 12 | (\$4,340.00 per month for 3 months) | 13,020.00 |

1. All rental purchases are furnished with equipment as stated in Rental price section except all equipment will be reconditioned and thoroughly inspected and tested.

2. Rental purchase must be specified at time of order or prior to shipment. No exceptions will be made.

3. All freight charges, additional components and other special charges will be invoiced on the first month invoice.

All prices shown are U.S Dollars (\$).f.o.b. factory. All prices are subject to change without notice.

Accepted by Pipeline Inspection Co., Ltd

All prices shown in US dollars



PIPELINE INSPECTION COMPANY, LTD.

Prices Effective March 1, 2010

P.O. Box 55648 • Houston, Texas 77255-5648

PH: (713) 681-5837 • FAX: (713) 681-4838

www.picltd.com**Pig Tracking Parts & Accessories**

| Model | Description | Weight | Price |
|--------|--|---------|----------|
| 12060 | Pick-up wand, Pig Tracking Receiver | 3 lb | 310.00 |
| 12061 | Pick-up wand, waterproof, PigTracking Receiver, with 100 ft cable | 15 lb | 507.00 |
| 12062 | Pick-up wand, waterproof, Pig Tracking Receiver, with 250 ft cable | 20 lb | 849.00 |
| 12063 | Pick-up wand, waterproof, Pig Tracking Receiver, with 500 ft cable | 35.5 lb | 1,135.00 |
| 12726 | Shipping/Carrying case for Model 2, 4, 12 system | 11.5 lb | 394.75 |
| 11335 | Battery, 3v lithium | 0.2 lb | 17.64 |
| 10787 | Battery, 9 volt alkaline | 0.2 lb | 4.65 |
| 10785 | Battery, "AA" alkaline | 0.2 lb | 3.25 |
| 10779 | Battery, "C" alkaline | 0.2 lb | 3.75 |
| 11374 | Mounting plate, for PT750 to mandrel pig | 1 lb | 115.75 |
| 13104 | Universal Mounting Plate PT750 | 3 lb | 280.00 |
| PT1070 | "O" Ring set, for PT107 | 0.1 lb | 5.75 |
| PT2750 | "O" Ring set, for PT275 | 0.1 lb | 8.40 |
| PT7500 | "O" Ring set, for PT750 | 0.1 lb | 8.40 |
| 11902 | Wrench (for transmitter end caps for 275/750) | 0.2 lb | 10.35 |
| 11516 | Cup mounting kit for PT275 | 1.2 lb | 288.75 |
| 12828 | PT107 Cap, Threaded | 0.5 lb | 78.25 |
| 11237 | PT107 Bumper W/Washer 5/8 x 9/32 | 0.5 lb | 1.40 |
| 13249 | SPY Phone Auto kit | 2.0 lb | 191.85 |

Accepted by Pipeline Inspection Co., Ltd

All prices shown in US dollars



PIPELINE INSPECTION COMPANY, LTD.

Prices Effective March 1, 2010

P.O. Box 55648 • Houston, Texas 77255-5648

PH: (713) 681-5837 • FAX: (713) 681-4838

www.picltd.com**Brush Electrodes**

| Part No. | Description (Pipe Diameter) | Weight | Price |
|---|---|-----------|--------|
| Full Circle Steel | | | |
| 11970 | 1/2" | 1 lb | 68.25 |
| 11971 | 3/4" to 1" | 1 lb | 68.25 |
| 11972 | 1 1/4" to 1 1/2" | 1 lb | 73.50 |
| 11973 | 2" | 1.5 lb | 79.80 |
| Flat Brass Brush | | | |
| 11974 | 2" | 0.5 lb | 71.60 |
| 11975 | 3" | 0.5 lb | 73.90 |
| 11976 | 4" | 0.5 lb | 77.45 |
| 11977 | 6" | 0.5 lb | 88.50 |
| 13372 | 8" | 1 lb | 113.30 |
| 11978 | 10" | 1 lb | 138.65 |
| 11979 | 12" | 1.5 lb | 158.50 |
| 11980 | 18" | 2 lb | 245.20 |
| 11981 | 20" | 2 lb | 254.65 |
| 11982 | 24" | 2.5 lb | 320.00 |
| 11983 | 28" | 3 lb | 370.00 |
| 11984 | 30" | 3 lb | 395.00 |
| 11985 | 36" | 3.5 lb | 470.00 |
| 13381 | 44" | 4.5 lb | 600.00 |
| 13374 | 48" | 5 lb | 665.00 |
| 13382 | 52" | 5.5 lb | 762.80 |
| 11331 | Brass brush, bulk stock (per inch) | 0.1 lb/in | 16.25 |
| Flat Steel Brush | | | |
| 12066 | 2" | 0.5 lb | 72.45 |
| 12067 | 3" | 0.5 lb | 74.30 |
| 12068 | 4" | 0.5 lb | 76.65 |
| 12069 | 6" | 0.5 lb | 88.75 |
| 12070 | 10" | 1 lb | 138.85 |
| 12071 | 12" | 1.5 lb | 158.50 |
| 12072 | 18" | 2 lb | 245.65 |
| 12073 | 20" | 2 lb | 254.35 |
| 12074 | 24" | 2.5 lb | 317.90 |
| 12075 | 28" | 3 lb | 370.15 |
| 12076 | 30" | 3 lb | 394.30 |
| 12077 | 36" | 3.5 lb | 470.10 |
| Flat, Conductive Neoprene Rubber | | | |
| 11987 | 6" | 0.5 lb | 50.15 |
| 11988 | 10" | 1 lb | 56.50 |
| 11989 | 12" | 2 lb | 62.75 |
| 11990 | 18" | 2.5 lb | 84.80 |
| 11991 | 24" | 2.5 lb | 107.50 |
| 11992 | 30" | 3 lb | 137.30 |
| 11993 | 36" | 3 lb | 157.75 |
| 11994 | 6" paddle | 0.5 lb | 53.10 |
| 11995 | Conductive neoprene, bulk stock 3 ft wide (per linear foot) | | 106.20 |

Accepted by Pipeline Inspection Co., Ltd

All prices shown in US dollars



PIPELINE INSPECTION COMPANY, LTD.

Prices Effective March 1, 2010

P.O. Box 55648 • Houston, Texas 77255-5648

PH: (713) 681-5837 • FAX: (713) 681-4838

www.picltd.com**Brush Electrodes - cont'd**

| Part No. | Description (Pipe Diameter) | Weight | Price |
|--|-----------------------------|--------|--------|
| Half-Circle, Conductive Neoprene Rubber | | | |
| 10985 | 2" | 1 lb | 114.71 |
| 10979 | 3" | 1 lb | 117.55 |
| 11998 | 4" | 1.5 lb | 121.54 |
| 11999 | 6" | 1.5 lb | 127.84 |
| 10981 | 8" | 1.5 lb | 133.09 |
| 12005 | 10" | 2 lb | 139.13 |
| 10977 | 12" | 2 lb | 148.31 |
| 12007 | 14" | 2 lb | 158.81 |
| 12008 | 16" | 2.5 lb | 164.85 |
| 12009 | 18" | 3 lb | 167.95 |
| 12010 | 20" | 4 lb | 174.20 |
| 12011 | 24" | 4 lb | 184.12 |
| 10976 | 26" | 4 lb | 206.17 |
| 12013 | 30" | 4.5 lb | 213.86 |
| 13213 | 32" | 4.6 lb | 216.09 |
| 12014 | 36" | 5 lb | 242.55 |
| 12015 | 40" | 6 lb | 287.75 |
| 12016 | 42" | 7 lb | 317.52 |
| 12017 | 48" | 8 lb | 355.05 |
| 13375 | 52" | 8 lb | 412.34 |
| 13376 | 56" | 9 lbs | 427.77 |
| 13377 | 60" | 9 lbs | 443.76 |
| Half-Circle, Steel Brush | | | |
| 12019 | 2" | 0.8 lb | 73.34 |
| 12020 | 3" | 0.8 lb | 77.75 |
| 12021 | 4" | 1 lb | 80.48 |
| 12024 | 6" | 1.3 lb | 88.73 |
| 12025 | 8" | 1.5 lb | 115.76 |
| 12026 | 10" | 2 lb | 159.34 |
| 12027 | 12" | 2 lb | 194.78 |
| 10965 | 14" | 2 lb | 217.19 |
| 10966 | 16" | 2.5 lb | 238.14 |
| 10960 | 18" | 3 lb | 265.13 |
| 10961 | 20" | 3.3 lb | 309.80 |
| 12032 | 24" | 4 lb | 347.29 |
| 10963 | 26" | 4 lb | 382.57 |
| 12034 | 30" | 4.7 lb | 425.57 |
| 10964 | 36" | 5 lb | 499.43 |
| 12036 | 40" | 5.5 lb | 539.12 |
| 12037 | 42" | 6 lb | 578.81 |
| 12038 | 48" | 6.7 lb | 612.41 |
| 13378 | 52" | 8 lb | 765.14 |
| 13379 | 56" | 9 lb | 808.13 |
| 13380 | 60" | 9.5 lb | 851.13 |

Accepted by Pipeline Inspection Co., Ltd

All prices shown in US dollars



PIPELINE INSPECTION COMPANY, LTD.

Prices Effective March 1, 2010

P.O. Box 55648 • Houston, Texas 77255-5648


PH: (713) 681-5837 • FAX: (713) 681-4838

www.picltd.com**Spring Electrodes, Full Circle**

| Part No. | Description (Pipe Diameter) | Weight | Price |
|----------|---|------------|--------|
| 11018 | 2" (50 mm) | 1 lb | 68.15 |
| 11940 | 2.5" (53 mm) | 1 lb | 65.05 |
| 11013 | 3" (76 mm) | 1.5 lb | 69.46 |
| 11942 | 4" (101 mm) | 1.5 lb | 73.87 |
| 11943 | 6" (127 mm) | 2.5 lb | 81.11 |
| 10995 | 8" (203 mm) | 3 lb | 102.06 |
| 10993 | 10" (254 mm) | 4 lb | 108.05 |
| 10991 | 12" (305 mm) | 4.5 lb | 117.97 |
| 10989 | 14" (356 mm) | 5 lb | 123.48 |
| 10997 | 16" (406 mm) | 5 lb | 128.99 |
| 10999 | 18" (457 mm) | 6 lb | 140.02 |
| 11001 | 20" (508 mm) | 6.5 lb | 152.15 |
| 11003 | 22" (558 mm) | 7 lb | 154.35 |
| 11952 | 24" (610 mm) | 7.5 lb | 158.76 |
| 11005 | 26" (660 mm) | 8 lb | 159.86 |
| 11954 | 28" (711 mm) | 8 lb | 162.07 |
| 11007 | 30" (800 mm) | 8.5 lb | 165.38 |
| 11956 | 32" (813 mm) | 9 lb | 184.80 |
| 13395 | 33" | 9.5 lb | 190.58 |
| 13387 | 34" | 9.5 lb | 195.20 |
| 11009 | 36" (900 mm) | 10 lb | 205.59 |
| 13351 | 38" | 10.5 lb | 212.52 |
| 11958 | 40" (1000 mm) | 11 lb | 219.45 |
| 11959 | 42" (1050 mm) | 12 lb | 234.47 |
| 11960 | 48" (1200 mm) | 12.5 lb | 258.72 |
| 11961 | 52" (1320 mm) | 13 lb | 267.96 |
| 13389 | 54" | 13 lb | 272.03 |
| 11962 | 56" (1420 mm) | 13.5 lb | 276.05 |
| 11963 | 60" (1500 mm) | 14 lb | 282.98 |
| 13040 | 64" (1600mm) | 14 lb | 289.36 |
| 13390 | 66" | 14.5 lb | 292.22 |
| 11964 | 72" (1800 mm) | 15 lb | 301.46 |
| 11965 | 76" (1930 mm) | 15 lb | 318.78 |
| 11966 | 80" (2032 mm) | 16 lb | 360.52 |
| 10624 | Spring Electrode, Bulk Stock (10 ft length) | 15 lb | 277.20 |
| 11968 | Spring End, assembly | 0.25 lb/pr | 57.20 |
| 11969 | Spring End, Interlocking | 1.25 lb/pr | 59.50 |

Accepted by Pipeline Inspection Co., Ltd

All prices shown in US dollars



PIPELINE INSPECTION COMPANY, LTD.

Prices Effective March 1, 2010

P.O. Box 55648 • Houston, Texas 77255-5648

PH: (713) 681-5837 • FAX: (713) 681-4838

www.picltd.com**Internal Electrodes**

| Part No. | Description (Pipe Diameter) | Price |
|----------|-----------------------------|----------|
| 12039 | 2" | 259.00 |
| 12040 | 3" | 289.91 |
| 12041 | 4" | 297.99 |
| 12042 | 6" | 321.09 |
| 12043 | 8" | 628.32 |
| 12044 | 10" | 817.44 |
| 12045 | 12" | 824.67 |
| 12046 | 14" | 829.29 |
| 12047 | 16" | 1,039.41 |
| 12048 | 18" | 1,057.98 |
| 12049 | 20" | 1,329.41 |
| 12050 | 24" | 1,354.82 |
| 12055 | 28" | 1,372.14 |
| 12051 | 30" | 1,381.38 |
| 13041 | 32" | 1,399.86 |
| 12052 | 36" | 1,452.00 |
| 12053 | 40" | 1,604.30 |
| 12054 | 48" | 1,790.25 |
| 13042 | 64" | 2,321.50 |

This item is made of conductive neoprene circles sandwiched between aluminum disks. Two such plates, joined with spacers, form

a "PIG" type electrode for the inspection of internally coated pipes. With metallic spacers, there is a double signal at each

holiday. If double signaling is not desired, please specify when placing order, that non-conductive spacers be used.

To use an internal electrode, a high voltage cable must be inserted through the pipe, with one end connected to the holiday

detector and the other end connected to the internal electrode. As an alternate method, the electrode may be connected to the end

of a lance which is then inserted into the pipe. Using this method, the lance must be made of a metallic conductor or a cable must

still be used to connect the holiday detector with the electrode.

PLEASE NOTE: The inspection voltages to be used, with this type of electrode, must be at least 600 volts. To use inspection

voltages lower than 600 volts, a "WET SPONGE" type of electrode must be used.

Accepted by Pipeline Inspection Co., Ltd



All prices shown in US dollars