

PIPELINE INSPECTION COMPANY, LTD.

Prices Effective March 1, 2010

P.O. Box 55648 • Houston, Texas 77255-5648

PH: (713) 681-5837 • FAX: (713) 681-4838

www.picltd.com**Holiday Detectors**

Part No.	Description	Weight		Price
780	Portable "stick" type detector	35 lb	2.2 cu ft	3780.00
780	Portable "stick" type detector, unit only	5 lb	0.5 cu ft	3050.00
785	Portable "stick" type detector	35 lb	2.2 cu ft	3880.00
785	Portable "stick" type detector, unit only	5 lb	0.5 cu ft	3150.00
790	Portable "stick" type detector	35 lb	2.2 cu ft	3990.00
790	Portable "stick" type detector, unit only	5 lb	0.5 cu ft	3260.00
670	Portable "wet sponge" type detector	3 lb	3.0 cu ft	370.00
670	Portable "wet sponge" type detector, unit only	2 lb	1.0 cu ft	340.00
673	Stationary "wet sponge" type detector	6 lb	3.0 cu ft	1040.00
115	Stationary "plant" type detector	25 lb	3.0 cu ft	3950.00
115	Stationary "plant" type detector, box only	5 lb	1.0 cu ft	3750.00
125	Stationary "plant" type detector	25 lb	3.0 cu ft	3950.00
125	Stationary "plant" type detector, box only	5 lb	1.0 cu ft	3750.00
135	In Plant Holiday Detector (10-35kv)	25 lb	3.0 cu ft	4100.00
135	In Plant Holiday Detector (10-35kv), box only	5 lb	1.0 cu ft	3900.00
JM	Bench/Field Crest Voltmeter (Pulse/DC input)	9.2 lb	1.0 cu ft	1150.00
PJM	Pocket Crest Voltmeter (Pulse input)	2.2 lb	0.3 cu ft	550.00
DCPJM	D.C. Pocket Crest Voltmeter(DC input)	2 lb	0.3 cu ft	350.00
MSRB	Multi-station Rebar System-3 channel standard			2400.00
	Each additional channel (up to 6 channels per unit)			700.00
RBRS	Rebar Roller System-3 station standard			2900.00
	Each additional station			900.00

- All sale detectors (portable) are furnished complete with: two batteries, battery box, battery charger (120/240 VAC), electrode wand, ground cable, carrying/shipping case and operating instructions.
- All sale Model 115, Model 125, and Model 135 detectors are furnished complete with: one Klaxon horn, one spring (or brush) electrode wand with 20 ft. high voltage cable.
- Electrodes furnished separately at an additional charge. *See separate electrode price sheet for prices and available sizes.*
- All items marked as "unit only" are furnished as described and shipped in a cardboard box, unless a shipping/carrying case otherwise ordered.
- Model 670 includes battery, ground cable and flat sponge electrode. The roller sponge electrode may be purchased optionally.
- The Multi-Station systems require custom manufacture. Therefore, adjustments to prices may be necessary. As with all custom manufactured items, time required to manufacture can vary so allow adequate time for this process.
- All items have a three month warranty on materials & workmanship except for Models 780, 785, 790, and JM, which have a twelve-month warranty.

Accepted by Pipeline Inspection Co., Ltd

All prices shown in US dollars



PIPELINE INSPECTION COMPANY, LTD.

Prices Effective March 1, 2010

P.O. Box 55648 • Houston, Texas 77255-5648

PH: (713) 681-5837 • FAX: (713) 681-4838

www.picltd.com**Holiday Detector Parts & Accessories**

Part No.	Description	Weight	Price
10630	6V Battery, RP6801, sealed rechargeable, dry, non-restricted	4.5 lb	84.00
11934	Brush adaptor kit	1 lb	23.78
11927	Cable, ground, assembly, for 670, 25 ft.	0.1 lb	27.56
11925	Cable, ground, assembly, for 7xx series, 100 ft.	2.2 lb	104.74
12884	Cable, ground, assembly, for 7xx series, 50 ft.	1.8 lb	65.65
12146	Cable, ground, assembly, for Jeepmeter series	0.1 lb	23.15
11928	Cable, High Voltage, for Jeepmeter series	0.1 lb	24.83
12547	Marker system, automatic	2.5 lb	713.32
11061	Charger , 6V 120/240 VAC	2 lb	175.30
11914	Rebar Station Sponge only (3.5" dia, 2"wide)	0.1 lb	36.96
11083	Shipping/carrying case, for 7xx series	9.5 lb	394.75
10623	Spring connector & swivel assembly	0.3 lb	50.93
11740	Wand, brush electrode, flat sponge, for 670 series	0.5 lb	40.18
13129	Base Plate Assy	0.5 lb	111.83
13120	Battery Pack 12V	4 lb	87.10
13149	Battery Release (orange)	0.1 lb	12.55
13134	Charger 12V Universal Input w/cord	4.5 lb	141.70
13156	Clip for Strap 780/785/790	0.1 lb	7.25
13157	Front Handle (black)	0.2 lb	24.65
13132	Knob 780/790 (black)	0.1 lb	12.86
13202	Shipping Case 7x0 w/Insert	9.5 lb	394.75
13212	Spare parts kit for Model 780/785/790	16 lb	448.88
11322	670 Flat Sponge only 2x4x8	.5 lb	10.76
11676	670 Roller Sponge only (3 units)	.5 lb	41.48
11136	Step down xformer 240 to 120 VAC	10 lb	144.43
11919	Wand, brush electrode, all 7xx series	1.3 lb	80.06
12513	Klaxon Horn Assembly	7.0 lb	201.34

Accepted by Pipeline Inspection Co., Ltd

All prices shown in US dollars



PIPELINE INSPECTION COMPANY, LTD.

Prices Effective March 1, 2010

P.O. Box 55648 • Houston, Texas 77255-5648

PH: (713) 681-5837 • FAX: (713) 681-4838

www.picltd.com**Holiday Detector Parts & Accessories - cont'd**

Part No.	Description	Weight	Price
12922	Wand 36" all 7xx series	2.6 lb	245.70
12923	Wand 48" all 7xx series	3.5 lb	252.00
12924	Wand 60" all 7xx series	4.3 lb	258.30
12925	Wand 72" all 7xx series	5.2 lb	264.60
11920	Wand, brush electrode, for 9xx series	1.5 lb	102.11
11681	Wand, brush electrode, roller sponge, for 670 series	0.8 lb	112.61
12769	Wand, spring&brush electrode, for 1xx series w/25 ft. H.V. cable	2.5 lb	181.65
11932	Wand, spring electrode, for 7xx series	1 lb	115.76
11936	Wire, trolley assembly, for 1xx series complete w/hardware	4.5 lb	168.68
13107	670 18" Wide Roller Sponge Assembly	2.5 lb	130.73
13110	670 24" Wide Roller Sponge Assembly	5 lb	294.37
13106	7xx Series Shipping/Carrying Case Handle	0.3 lb	8.77
13203	Flex-Wand, hand held, for 7xx series	1.5 lb	233.42
CERTS	Repairs & Replacement Certification Documents		50.00

Each Spare parts kit consists of the following:

- 2 ea Battery
- 1 ea Battery box (not required on 780/790)
- 3 ea Ground cable, 50 ft.
- 1 ea Wand, spring electrode

Accepted by Pipeline Inspection Co., Ltd

All prices shown in US dollars



PIPELINE INSPECTION COMPANY, LTD.

Prices Effective March 1, 2010

P.O. Box 55648 • Houston, Texas 77255-5648

PH: (713) 681-5837 • FAX: (713) 681-4838

www.picltd.com**Holiday Detector, Rental Purchase**-available only in the USA

Model	Price
115, 125 (\$852.00 per month for 5 months)	4,260.00
780 (\$864.00 per month for 5 months)	4,320.00
785 (\$872.00 per month for 5 months)	4,360.00
790 (\$878.00 per month for 5 months)	4,390.00

1. All rental purchases are furnished with equipment as stated in Rental price section except that equipment will be reconditioned equipment that has been thoroughly inspected and tested.
2. All freight charges, additional components (electrodes, etc.) and other special charges will be invoiced on the first month invoice.
3. All rental purchase Holiday Detectors have a 3 month warranty on material and workmanship

Holiday Detector, Rentals-available only in the USA

Model	Daily	Minimum
715, 725, 735, 780, 790, 915, 925, 115, 125,	35.00	140.00
JM	30.00	120.00

1. Rental purchase must be specified at time of order or prior to shipment. No exceptions will be made.
2. All rental detectors (portable) are furnished with used equipment consisting of: two batteries, battery box, battery charger, electrode wand, ground cable, shipping/carrying case and operating instructions. See separate electrode price sheets for prices and available sizes.
Note: Any items damaged beyond normal wear and tear, or lost/stolen, will be invoiced at the full sale price.
3. All rental equipment will have a four day minimum rental period. Rental begins the date equipment is shipped and stops the day equipment is received at factory. Normal shipment is by UPS Red or equivalent) unless otherwise specified.

Accepted by Pipeline Inspection Co., Ltd



All prices shown in US dollars

PIPELINE INSPECTION COMPANY, LTD.

Prices Effective March 1, 2010

P.O. Box 55648 • Houston, Texas 77255-5648

PH: (713) 681-5837 • FAX: (713) 681-4838

www.picltd.com**Pig Tracking, Sales**

Model	Description	Weight	Size	Price
Model 1	Pig Tracking System (PT101, PTR, case)	22 lb	2.2 cu ft	6,570.00
Model 2	Pig Tracking System (PT107, PTR, case)	22 lb	2.2 cu ft	6,180.00
Model 4	Pig Tracking System (PT275, PTR, case)	26 lb	2.2 cu ft	7,460.00
Model 12	Pig Tracking System (PT750, PTR, case)	33 lb	2.2 cu ft	8,990.00
PT101	Pig Transmitter, unit only, 50hr, 3-4" pipe	2.5 lb	0.3 cu ft	2,220.00
PT107	Pig Transmitter, unit only, 60 hr 4-8" pipe	2.5 lb	0.3 cu ft	1,830.00
PT275	Pig Transmitter, unit only, 200 hr 8" and up pipe	6.5 lb	0.3 cu ft	3,110.00
PT750	Pig Transmitter, unit only, 500 hr 12" and up pipe	13.5 lb	0.3 cu ft	4,640.00
PTR	Pig Tracking Receiver & Wand	7 lb	0.4 cu ft	4,270.00
PTS	Pig Tracking Sensor	3 lb	0.3 cu ft	845.00
PTSI	Pig Tracking Sensor Indicator Unit	3 lb	0.3 cu ft	360.00
PTSB	Pig Tracking Sensor Battery Unit	3 lb	0.3 cu ft	370.00
SPY Phone	SPY Phone	3 lb	0.3 cu ft	1,030.00

1. All Pig Tracking System sales include: one transmitter (PT-107 for Model 2; PT-275 for Model 4; PT-750 for Model 12),

one receiver (PTR), one pick-up wand, batteries, operating instructions and shipping/carrying case.

2. All shipping weights and dimensions shown are for complete systems with components, as described above.

3. All items have a three month warranty on materials & workmanship except for the Model PTR which has a twelve month warranty.

Pig Tracking, Rentals--available only in the USA

Model	Daily	Minimum
Model 1	140.00	560.00
Model 2	140.00	560.00
Model 4	140.00	560.00
Model 12	160.00	640.00
PTR (with wand)	80.00	320.00
PT-101	60.00	240.00
PT-107	60.00	240.00
PT-275	60.00	240.00
PT-750	80.00	320.00
Underwater Wand (100, 250 or 500 ft)	45.00	180.00

1. All Pig Tracking rental systems include one transmitter (PT-101 for Model 1, PT-107 for Model 2, PT-275 for Model 4, PT-750 for Model 12),

two PTR receivers, two pick-up wands, batteries, operating instructions and shipping/carrying case. Mounting plate for mounting

transmitter to steel mandrel pig is included upon request.

Note: Any items lost, stolen or damaged beyond normal wear and tear will be invoiced at the list price.

2. All Pig Tracking rental equipment will have a four (4) day minimum rental period. All systems will be shipped from the factory

via Next Day Service (ie. UPS Next Day, FedEx Next Day, DHL Next Day) and the return of equipment will be via the same type of service.

Rental period begins the date equipment is shipped and stops the day equipment is received at the factory. There will be no exceptions!

Based on present shipping rates, UPS Next Day to either coast, from the factory (Houston), the shipping fee would be approximately

\$150.00 with insurance.

Accepted by Pipeline Inspection Co., Ltd

All prices shown in US dollars



PIPELINE INSPECTION COMPANY, LTD.

Prices Effective March 1, 2010

P.O. Box 55648 • Houston, Texas 77255-5648

PH: (713) 681-5837 • FAX: (713) 681-4838

www.picltd.com**Pig Tracking, Rental Purchases-available only in the USA**

Model		Price
Model 1	(\$3,694.00 per month for 3 months)	11,082.00
Model 2	(\$3,570.00 per month for 3 months)	10,710.00
Model 4	(\$3,920.00 per month for 3 months)	11,760.00
Model 12	(\$4,340.00 per month for 3 months)	13,020.00

1. All rental purchases are furnished with equipment as stated in Rental price section except all equipment will be reconditioned and thoroughly inspected and tested.

2. Rental purchase must be specified at time of order or prior to shipment. No exceptions will be made.

3. All freight charges, additional components and other special charges will be invoiced on the first month invoice.

All prices shown are U.S Dollars (\$).f.o.b. factory. All prices are subject to change without notice.

Accepted by Pipeline Inspection Co., Ltd

All prices shown in US dollars



PIPELINE INSPECTION COMPANY, LTD.

Prices Effective March 1, 2010

P.O. Box 55648 • Houston, Texas 77255-5648

PH: (713) 681-5837 • FAX: (713) 681-4838

www.picltd.com**Pig Tracking Parts & Accessories**

Model	Description	Weight	Price
12060	Pick-up wand, Pig Tracking Receiver	3 lb	310.00
12061	Pick-up wand, waterproof, PigTracking Receiver, with 100 ft cable	15 lb	507.00
12062	Pick-up wand, waterproof, Pig Tracking Receiver, with 250 ft cable	20 lb	849.00
12063	Pick-up wand, waterproof, Pig Tracking Receiver, with 500 ft cable	35.5 lb	1,135.00
12726	Shipping/Carrying case for Model 2, 4, 12 system	11.5 lb	394.75
11335	Battery, 3v lithium	0.2 lb	17.64
10787	Battery, 9 volt alkaline	0.2 lb	4.65
10785	Battery, "AA" alkaline	0.2 lb	3.25
10779	Battery, "C" alkaline	0.2 lb	3.75
11374	Mounting plate, for PT750 to mandrel pig	1 lb	115.75
13104	Universal Mounting Plate PT750	3 lb	280.00
PT1070	"O" Ring set, for PT107	0.1 lb	5.75
PT2750	"O" Ring set, for PT275	0.1 lb	8.40
PT7500	"O" Ring set, for PT750	0.1 lb	8.40
11902	Wrench (for transmitter end caps for 275/750)	0.2 lb	10.35
11516	Cup mounting kit for PT275	1.2 lb	288.75
12828	PT107 Cap, Threaded	0.5 lb	78.25
11237	PT107 Bumper W/Washer 5/8 x 9/32	0.5 lb	1.40
13249	SPY Phone Auto kit	2.0 lb	191.85

Accepted by Pipeline Inspection Co., Ltd

All prices shown in US dollars



PIPELINE INSPECTION COMPANY, LTD.

Prices Effective March 1, 2010

P.O. Box 55648 • Houston, Texas 77255-5648

PH: (713) 681-5837 • FAX: (713) 681-4838

www.picltd.com**Brush Electrodes**

Part No.	Description (Pipe Diameter)	Weight	Price
Full Circle Steel			
11970	1/2"	1 lb	68.25
11971	3/4" to 1"	1 lb	68.25
11972	1 1/4" to 1 1/2"	1 lb	73.50
11973	2"	1.5 lb	79.80
Flat Brass Brush			
11974	2"	0.5 lb	71.60
11975	3"	0.5 lb	73.90
11976	4"	0.5 lb	77.45
11977	6"	0.5 lb	88.50
13372	8"	1 lb	113.30
11978	10"	1 lb	138.65
11979	12"	1.5 lb	158.50
11980	18"	2 lb	245.20
11981	20"	2 lb	254.65
11982	24"	2.5 lb	320.00
11983	28"	3 lb	370.00
11984	30"	3 lb	395.00
11985	36"	3.5 lb	470.00
13381	44"	4.5 lb	600.00
13374	48"	5 lb	665.00
13382	52"	5.5 lb	762.80
11331	Brass brush, bulk stock (per inch)	0.1 lb/in	16.25
Flat Steel Brush			
12066	2"	0.5 lb	72.45
12067	3"	0.5 lb	74.30
12068	4"	0.5 lb	76.65
12069	6"	0.5 lb	88.75
12070	10"	1 lb	138.85
12071	12"	1.5 lb	158.50
12072	18"	2 lb	245.65
12073	20"	2 lb	254.35
12074	24"	2.5 lb	317.90
12075	28"	3 lb	370.15
12076	30"	3 lb	394.30
12077	36"	3.5 lb	470.10
Flat, Conductive Neoprene Rubber			
11987	6"	0.5 lb	52.66
11988	10"	1 lb	59.33
11989	12"	2 lb	65.89
11990	18"	2.5 lb	89.04
11991	24"	2.5 lb	112.88
11992	30"	3 lb	144.17
11993	36"	3 lb	165.64
11994	6" paddle	0.5 lb	53.10
11995	Conductive neoprene, bulk stock 3 ft wide (per linear foot)		112.20

Accepted by Pipeline Inspection Co., Ltd

All prices shown in US dollars



PIPELINE INSPECTION COMPANY, LTD.

Prices Effective March 1, 2010

P.O. Box 55648 • Houston, Texas 77255-5648

PH: (713) 681-5837 • FAX: (713) 681-4838

www.picltd.com**Brush Electrodes - cont'd**

Part No.	Description (Pipe Diameter)	Weight	Price
Half-Circle, Conductive Neoprene Rubber			
10985	2"	1 lb	120.45
10979	3"	1 lb	123.43
11998	4"	1.5 lb	127.62
11999	6"	1.5 lb	134.23
10981	8"	1.5 lb	139.74
12005	10"	2 lb	146.09
10977	12"	2 lb	155.73
12007	14"	2 lb	166.75
12008	16"	2.5 lb	173.09
12009	18"	3 lb	176.35
12010	20"	4 lb	182.91
12011	24"	4 lb	193.33
10976	26"	4 lb	216.48
12013	30"	4.5 lb	224.55
13213	32"	4.6 lb	226.89
12014	36"	5 lb	254.68
12015	40"	6 lb	302.14
12016	42"	7 lb	333.40
12017	48"	8 lb	372.80
13375	52"	8 lb	432.96
13376	56"	9 lbs	449.16
13377	60"	9 lbs	465.95
Half-Circle, Steel Brush			
12019	2"	0.8 lb	73.34
12020	3"	0.8 lb	77.75
12021	4"	1 lb	80.48
12024	6"	1.3 lb	88.73
12025	8"	1.5 lb	115.76
12026	10"	2 lb	159.34
12027	12"	2 lb	194.78
10965	14"	2 lb	217.19
10966	16"	2.5 lb	238.14
10960	18"	3 lb	265.13
10961	20"	3.3 lb	309.80
12032	24"	4 lb	347.29
10963	26"	4 lb	382.57
12034	30"	4.7 lb	425.57
10964	36"	5 lb	499.43
12036	40"	5.5 lb	539.12
12037	42"	6 lb	578.81
12038	48"	6.7 lb	612.41
13378	52"	8 lb	765.14
13379	56"	9 lb	808.13
13380	60"	9.5 lb	851.13

Accepted by Pipeline Inspection Co., Ltd

All prices shown in US dollars



PIPELINE INSPECTION COMPANY, LTD.

Prices Effective March 1, 2010

P.O. Box 55648 • Houston, Texas 77255-5648

PH: (713) 681-5837 • FAX: (713) 681-4838

www.picltd.com**Spring Electrodes, Full Circle**

Part No.	Description (Pipe Diameter)	Weight	Price
11018	2" (50 mm)	1 lb	68.15
11940	2.5" (53 mm)	1 lb	65.05
11013	3" (76 mm)	1.5 lb	69.46
11942	4" (101 mm)	1.5 lb	73.87
11943	6" (127 mm)	2.5 lb	81.11
10995	8" (203 mm)	3 lb	102.06
10993	10" (254 mm)	4 lb	108.05
10991	12" (305 mm)	4.5 lb	117.97
10989	14" (356 mm)	5 lb	123.48
10997	16" (406 mm)	5 lb	128.99
10999	18" (457 mm)	6 lb	140.02
11001	20" (508 mm)	6.5 lb	152.15
11003	22" (558 mm)	7 lb	154.35
11952	24" (610 mm)	7.5 lb	158.76
11005	26" (660 mm)	8 lb	159.86
11954	28" (711 mm)	8 lb	162.07
11007	30" (800 mm)	8.5 lb	165.38
11956	32" (813 mm)	9 lb	184.80
13395	33"	9.5 lb	190.58
13387	34"	9.5 lb	195.20
11009	36" (900 mm)	10 lb	205.59
13351	38"	10.5 lb	212.52
11958	40" (1000 mm)	11 lb	219.45
11959	42" (1050 mm)	12 lb	234.47
11960	48" (1200 mm)	12.5 lb	258.72
11961	52" (1320 mm)	13 lb	267.96
13389	54"	13 lb	272.03
11962	56" (1420 mm)	13.5 lb	276.05
11963	60" (1500 mm)	14 lb	282.98
10624	Spring Electrode, Bulk Stock (10 ft length)	15 lb	277.20
11968	Spring End, assembly	0.25 lb/pr	57.20
11969	Spring End, Interlocking	1.25 lb/pr	59.50

Accepted by Pipeline Inspection Co., Ltd

All prices shown in US dollars



PIPELINE INSPECTION COMPANY, LTD.

Prices Effective March 1, 2010

P.O. Box 55648 • Houston, Texas 77255-5648

PH: (713) 681-5837 • FAX: (713) 681-4838

www.picltd.com**Internal Electrodes**

Part No.	Description (Pipe Diameter)	Price
12039	2"	271.95
12040	3"	304.41
12041	4"	312.89
12042	6"	337.14
12043	8"	659.74
12044	10"	858.31
12045	12"	865.90
12046	14"	870.75
12047	16"	1,091.38
12048	18"	1,110.88
12049	20"	1,395.88
12050	24"	1,422.56
12055	28"	1,440.75
12051	30"	1,450.45
13041	32"	1,469.85
12052	36"	1,524.60
12053	40"	1,684.52
13725	42"	1,719.90
12054	48"	1,879.76
13042	64"	2,437.58

This item is made of conductive neoprene circles sandwiched between aluminum disks. Two such plates, joined with spacers, form

a "PIG" type electrode for the inspection of internally coated pipes. With metallic spacers, there is a double signal at each

holiday. If double signaling is not desired, please specify when placing order, that non-conductive spacers be used.

To use an internal electrode, a high voltage cable must be inserted through the pipe, with one end connected to the holiday

detector and the other end connected to the internal electrode. As an alternate method, the electrode may be connected to the end

of a lance which is then inserted into the pipe. Using this method, the lance must be made of a metallic conductor or a cable must

still be used to connect the holiday detector with the electrode.

PLEASE NOTE: The inspection voltages to be used, with this type of electrode, must be at least 600 volts. To use inspection

voltages lower than 600 volts, a "WET SPONGE" type of electrode must be used.

Accepted by Pipeline Inspection Co., Ltd



All prices shown in US dollars